

CLINICAL IMAGE

## THE ELEPHANT IN THE ROOM

Dhari Alrashed<sup>1</sup>, Eoin Fogarty FRCEM FACEM<sup>2,3\*</sup>

**1** Department of Anaesthesia, Cork University Hospital, Ireland, **2** Emergency Department, Cork University Hospital, Ireland, **3** Emergency Innovation Research Network (EIRN), Cork University Hospital, Ireland.

\*eoinmfogarty@yahoo.com

### Introduction

Packaging is an important part of transfer medicine.(1) Appropriate packaging in a “layered” manner is widely accepted as a safer way to move patients who may have various cables or tubes attached.(2)

In our practise we use modified ventilator airway tubing, approximately 0.5 metres in length with a slit down the longitudinal axis to contain these cables and/or tubes (Figure 1).

This tubing has become colloquially known as “*Elephant tubing*”. This tubing is typically used to contain ECG wires and medication giving sets.

The oxygen saturation probe wires and one intravenous access is typically left out during the transfer process in order to be able to access same (Figure 2).

 OPEN ACCESS ARTICLE

**Recommended Citation:** Alrashed D and Fogarty E. The Elephant in the Room (Clinical Image). Irish Journal of Paramedicine. 2018. 3(1).

**Received:** 03 March 2018

**Accepted:** 16 March 2018

**Published:** 01 April 2018

**Copyright:** © 2018, the authors. This is an Open Access article distributed under the terms of the Creative Commons Attribution-Non-Commercial-Share Alike 4.0 International licence which permits use, distribution, and reproduction in any medium, provided the original work and any attributes thereof are properly cited, are distributed under the same licence, and that the work is not used for commercial purposes.



**Funding:** No funding declared.

**Competing interests:** The authors have declared that no competing interests exist.

**Provenance and review:** Not commissioned, peer-reviewed.



Figure 1. Close up view of “elephant tubing”



*Figure 2. Demonstrated placement of “elephant tubing” during transfer.*

### **Acknowledgments**

The authors would like to thank Ms. Anna Marie Murphy, National Adult Retrieval Coordinator, Mobile Intensive Care Ambulance Service, National Transport Medicine Program, and Dr. Jason van der Velde, Emergency and Prehospital clinician, Clinical Lead MEDICO, for their work as authors of MICAS/NTMP Standard Operating Procedure 'Packaging the critically ill Patient' and education programme for 'Inter hospital retrieval / transfer'.

### **References**

1. Driscoll P, Macartney I, Mackway-Jones K, Metcalfe E, Oakley P (Eds.). Chapter 2—STaR principles, in *Safe Transfer and Retrieval - The Practical Approach*, 2nd Edition. Advanced Life Support Group. 2002.
2. Ashton-Cleary D, Mackey K. Intensive Care Tutorial 319: Inter-hospital transfers. 2015. Available from <https://www.aagbi.org/sites/default/files/319%20Inter-hospital%20transfers.pdf>. Accessed on 18th March 2018.